



ARRIFLEX 16S/B, 16S/B-GS and ARRIFLEX 16M/B

Catalog No.	Description	User Price
CAMERAS		
ARRIFLEX 16S/B		
301-020	ARRIFLEX 16S/B CAMERA ONLY:	2680.00 *
	Extra light, ultra-compact professional 16mm camera with 100 ft. internal daylight spool film capacity, improved three lens divergent Turret with one Bayonet-lock lens mount and Turret lock. Arri mirror shutter, reflex finder system with provision for interchangeable ground glass-with precision Registration Pin, Buckle Switch and Buckle Switch over-ride. Camera also accepts S-400 ft. and S-200 ft. magazines and take-up motors.	
ARRIFLEX 16S/B-GS		
301-021	ARRIFLEX 16S/B-GS CAMERA ONLY:	3280.00 *
	Includes all features of the Arriflex 16S/B camera as listed above: PLUS factory installed Control Signal Generator and Automatic Clapstick** with provision for Scene Marking.	
	**Original factory installation only. For sync signal generator installation on other Arriflex cameras, see Catalogue 339-351.	
ARRIFLEX 16M/B		
301-023	ARRIFLEX 16M/B CAMERA ONLY:	3850.00 *
	Designed for M200, M400, M1200 ft. geared, sprocketed, quick-change Magazines. (No internal film capacity.) Reflex Finder, Registration Pin and all other major features similar to the Arriflex 16S. With improved three lens divergent turret with one Bayonet-lock lens mount and turret lock, comes with built-in 60 cycle Sync Signal Generator, Automatic Clapstick and with provision for Scene Marking. Supplied with cover plate for magazine opening.	

IMPORTANT: All cameras are priced without power cable, motor, lenses, matte box, magazines and accessories.

All cameras are equipped with TV groundglass and supplied with oiler, three lens cavity caps, test film and Guarantee/Import Certificate.

Cameras are sold only with customers choice of three fixed focal length or one zoom lens. Extra charge for empty lens sockets as shown below. (Also see remarks under "Lenses").

301-997	*Extra charge for Camera Head only, when ordered without three normal lenses or one zoom lens.	150.00
---------	---	--------



ACCESSORIES FOR ARRIFLEX 16SB—16SBGS

Catalog No.	Description	User Price
FILM MAGAZINES		
339-200	S400ft x 16mm Film Magazine (requires Torque Motor Cat No. 339-320)	230.00
339-320	Torque Motor for S400ft 16mm magazine Only one motor needed per camera.	244.00
339-213	S200ft x 16mm Film Magazine (requires Torque Motor Cat No. 339-321)	230.00
339-321	Special Torque Motor for S200ft 16mm Magazine	244.00
339-201	Core Adapter for Magazine (replacement)	10.00
339-202	Camera Magazine-Opening Cover for Arriflex 16S or 16SGS (replacement).	17.00
332-020	†Fiber Carrying Case for 3-S400ft x 16mm magazines and one Torque Motor.	60.00
POWER CABLES		
339-404	Cable, power 6 ft x 16S/SGS with 5 pin battery connector	22.00
339-405	Cable, power 1½ ft x 16S/SGS with 5 pin battery connector	22.00
339-420	Cable, ground connection for 16S/SGS Goes from main power cable to Torque Motor No. 339-320 or 339-321.	2.00
339-400	Cable, power 6 ft x 16S/SGS — 2 Pin Banana Jack Connector	10.00
339-402	Cable, power 15 ft x 16S/SGS — 2 Pin Banana Jack Connector	13.00
CASES		
	Arri camera cases are especially designed for safe storage and transport of Arriflex cameras. The outside is covered with heavy gauge hammered aluminum with reinforced corners and the cover closure has double channeling. All locks and hardware are chrome plated. The inside is finished in red plush and is partitioned and fitted to hold camera and accessories safely.	
332-000	Deluxe Compartment Case MODEL A Holds Arri 16S or 16SGS camera, matte box, lenses, filters, accessories (Size 15x9x8"—Weight: 8 lbs.)	140.00
332-001	Deluxe Compartment Case MODEL B In addition to equipment listed under A Case, holds camera with attached S400 ft. magazine, two S400 ft. x 16mm magazines, torque motor, shoulder pod, and other accessories. (Size: 24x16x8½"—Weight: 20 lbs.)	214.00
CONTROL SIGNAL SYSTEM		
339-351	Control Signal Generator Only For Arriflex 16S Camera Does not include Automatic Clapstick which cannot be added, once camera is assembled.	168.00
	Installation of Signal Generator only	130.00

†This Product Made in U.S.A.



ACCESSORIES FOR ARRIFLEX 16MB

Catalog No.	Description	User Price
-------------	-------------	------------

FILM MAGAZINES AND ACCESSORIES

339-210	M200 ft x 16mm foot gear-driven, quick-change magazine Complete with loop protector, Darkroom load. Operates Forward and Reverse. Also accepts 100 ft. daylight spools.	288.00
339-211	M400 ft x 16mm foot gear-driven, quick-change magazine Complete with loop protector, Darkroom load. Operates Forward and Reverse. Also accepts 200 ft. daylight spools.	320.00
339-212	M1200 ft x 16mm foot gear-driven, quick-change magazine. Coaxial, complete with loop protector.	820.00
339-203	Camera magazine opening cover for Arriflex 16M (replacement)	15.00
339-204	Collapsible core for 16M magazines (replacement)	15.00
339-201	Regular Core Adapter for Magazine (replacement)	10.00
339-228	Film Loop Protector for Arriflex 16M magazine (replacement)	8.00
339-227	Gauge Set for checking and adjusting magazine take-up friction Also useable with Arriflex 16BL and Arriflex 35 gear driven magazines.	48.00
332-022	† Magazine carrying case, fibre and plywood Lined and fitted for three M400 ft. magazines.	60.00
332-025	† Fibre case lined and fitted for one M1200 ft. magazine	52.00

POWER CABLES

339-407	Cable, power, 6 ft x 16M, with 5 pin battery connector	30.00
339-408	Cable, power, 1¼ ft x 16M, with 5 pin battery connector	30.00
339-409	Cable, power, coiled 2 ft/6 ft with 5 pin battery connector	37.00
339-401	Cable, power, 6 ft x 16M, — 2 Pin Banana Jack Connector	13.00
339-403	Cable, power, 15 ft x 16M, — 2 Pin Banana Jack Connector	15.00

CASES

332-002	Alu Camera Case for Arriflex 16M Heavy gauge hammered aluminum exterior, reinforced corners and channeled, dust-tight cover closure, corduroy lined, fitted interior, accepts Arriflex 16M, with three lenses, matte-box, one M200 or M400 ft. magazine.	170.00
332-024	Alu Magazine case, hammered aluminum exterior Fitted corduroy lined interior, holds four M200 or four M400 ft. magazines.	184.00

†This Product Made in U.S.A.




Our lenses are made by the world's best optical firms, to Arri's strict optical and mechanical tolerances. Each lens is carefully bench-tested. Because all the costly precision which is incorporated into the Arriflex could be endangered by inferior optics or poor mounts, we must protect Arriflex quality by not selling cameras without lenses.

In special cases where an exception may be made to this rule, we reserve the right to charge for each empty lens socket. See remarks under "Cameras", Page 1.

All of the following lenses are in Arriflex, factory original mounts. Zoom lenses (varifocal) have the Arriflex Logo (ARRI) engraved on the lens mounts to guarantee factory origin. Fixed focal length lenses are identified by the "Arriflex" name on the front rim.

(SEE PAGE 6 FOR ZOOM LENSES)


PRIME LENSES

PRIME LENSES			This Listing is for Informational Purposes Only. Consult Page 12 for Ordering Information	
Catalog No.	Description	User Price	Accepts Series Filters	Filter Adapter
SCHNEIDER-KREUZNACH LENSES with follow-focus grip & click stops				
311-110	10mm Cinegon F/1.8 T2	340.00	7	333-076
311-114	16mm Cinegon F/1.4 T2	280.00	7	333-076
311-121	25mm Cine Xenon F/1.4 T2	256.00	7	333-076
311-122	28mm Cine Xenon F/2 T2.2	284.00	7	333-076
311-123	35mm Cine Xenon F/2 T2.2	316.00	7	333-076
311-124	40mm Cine Xenon F/2 T2.2	316.00	7	333-076
311-125	50mm Cine Xenon F/2 T2.2	284.00	7	333-076
311-126	75mm Cine Xenon F/2 T2.2	340.00	6	333-074
311-127	100mm Cine Xenon F/2 T2.2	680.00	8	333-069
No follow-focus grip				
CARL ZEISS (WEST GERMAN) LENSES with follow focus grip & click stops				
311-146	8mm Distagon F/2 T2.2	598.00	8	333-073
311-140	16mm Planar F/2 T2.2	248.00	7	333-068
311-149	16mm Distagon F/2 T2.2	660.00	8	333-073
311-150	24mm Distagon F/2 T2.2	595.00	8	333-073
311-158	25mm Planar F/2 T2.2	386.00	7	333-068
311-142	32mm Planar F/2 T2	380.00	7	333-068
311-143	50mm Planar F/2 T2.2	410.00	7	333-068
311-151	85mm Planar F/2 T2.2	420.00	7	333-080
311-145	135mm Sonnar F/4	250.00	6	333-074
No follow-focus grip or click stops.				
TAYLOR HOBSON COOKE				
311-300	9mm Kinetar T2	480.00	8	333-075
311-301	12.5mm Kinetar T2	510.00	7	
311-302	17.5mm Kinetar T2	512.00	6	
311-303	25mm Kinetar T2	412.00	6	
311-304	37.5mm Kinetar T2	412.00	6	
311-305	50mm Kinetar T2	440.00	6	
311-306	75mm Kinetar T2.8	440.00	6	
311-307	100mm Kinetar T2.8	460.00	6	
311-308	150mm Kinetar T4.0	504.00	6	

LENSES CONTINUED ON PAGE 5



Prime Lenses (Continued)

			This Listing is for Informational Purposes Only. Consult Page 12 for Ordering Information	
Catalog No.	Description	User Price	Accepts Series Filters	Filter Adapter
P. ANGENIEUX				
311-131	5.9mm F/1.8 T2.0 Extreme Wide Angle Angenieux Lens	620.00	93mm round	Built In
311-133	28mm F1.1 Ultra Fast Lens	612.00	8	333-067
KINOPTIC				
311-202	5.7mm Tegea F/1.8 T2.0 Complete with Filter Slot and Lens Shade.	696.00	2x2"	Built In
KILFITT-MUNICH				
MAKRO LENSES				
312-110	40mm Makro Kilar F/2.8	165.00	5	Built In
312-112	90mm Super Makro Kilar F/2.8 Includes Wear Mount (312-905)	234.00	6	Built In
TELEPHOTO LENSES				
312-115	300mm Tele Kilar F/5.6 Includes Wear Mount (312-905)	294.00	8	333-505
312-113	300mm Pan Tele Kilar F/4 Includes Wear Mount (312-905), and case. Requires cradle 339-056	414.00		
312-116	300mm Dual Pan Tele Kilar F/4 Includes Wear Mount (312-905), and case. Requires cradle 339-056	509.00		
312-117	500mm Sport Reflector F/5.6 Includes Wear Mount (312-905), and case. Requires cradle 339-065	550.00		
312-114	600mm Sport Fern Kilar F/5.6 Includes Wear Mount (312-905), and case. Requires cradle 339-050 and platform 339-051 or 339-052	774.00		
312-119	600mm-400mm Kilar Tele-combi- nation Includes 2x Tele-extender for 1200 mm and 800mm conversion, wear mount and fitted case-requires cra- dle 339-050 and platform 339-051 or 339-052.	975.00		

LENSES CONTINUED ON PAGE 6



ZOOM(VARIFOCA) LENSES IN ARRIFLEX BAYONET LOCK LENS MOUNTS

The Arriflex-Bayonet-Lock Lens Mount has special importance for Zoom Lenses, where optimum performance depends absolutely on precise alignment and accurately maintained flange focal distance. The Arri-Bayonet-Lock Lens Mount provides lasting superior lens alignment and perfectly maintained flange focal distance. It is useable only with Arriflex Cameras which have a Bayonet-Lock Turret design. All zoom lenses have the Arriflex Logo **ARRI** engraved on the lens mounts to guarantee factory original mounts.

Catalog No.	Description	User Price	This Listing is for Informational Purposes Only. Consult Page 12 for Ordering Information	
			Accepts Series Filters	Filter Adapter
P. ANGENIEUX				
311-421	12/120mm Angenieux F/2.2 T2.5 .	1055.00	9	333-700
311-423	9.5/95mm Angenieux F/2.2 T2.8 . . Requires Cradle (339-062)	1330.00	4½ rnd	333-707
311-424	12/240mm Angenieux F/3.5 Requires Cradle (339-061)	2930.00	4½ rnd	333-708
311-422	12.5/75mm Angenieux F/2.2 T2.5 .	830.00	6	45M6
311-427	25/250mm Angenieux F3.2 T3.9 . . Requires Cradle (339-067)	3030.00	4½ rnd	333-706
311-426	35/140mm Angenieux F/3.2 T3.9 .	1630.00	8	333-065
CARL ZEISS (West German)				
311-155	12.5/75mm Vario Sonnar F/2	976.00	75x75mm	333-705
311-156	10/100mm Vario Sonnar F/2.8 T3.3	1176.00	9	333-079
SCHNEIDER				
311-130	80/240mm Tele Varigon F/4 Requires Cradle (339-069)	660.00	9	Included

ZOOM (VARIFOCA) LENSES IN STANDARD ARRI MOUNTS

P. ANGENIEUX

311-411	12/120mm Angenieux F/2.2 T2.5	975.00
311-419	12/120mm Angenieux F/2.2 T2.5 . . Automatic w/ Auto. Diaphragm Control	1395.00
311-420	12.5/75mm Angenieux F/2.2 T2.5.	750.00
311-410	17.5/70mm Angenieux F/2.2	495.00
311-415	9.5/95mm Angenieux F/2.2 T2.8 Requires Cradle (339-062)	1250.00
311-414	12/240mm Angenieux F/3.5 Requires Cradle (339-061)	2850.00
311-413	25/250mm Angenieux F/3.2 T3.9 Requires Cradle (339-067)	2950.00
311-412	35/140mm Angenieux F/3.2 T3.9 .	1550.00

CARL ZEISS (West German)

311-152	10/100mm Vario Sonnar F/2.8 T3.3	1096.00
---------	----------------------------------	---------

SCHNEIDER

311-129	80/240mm Tele Variogon F/4 Requires Cradle (339-069)	580.00
---------	---	--------

9	333-700
9	333-700
6	45M6
6	45M6
4½" rnd	333-707
4½" rnd	333-708
4½" rnd	333-706
8	333-065
9	333-079
9	Included



ACCESSORIES FOR ARRIFLEX 16SB-16SBGS-16MB

Catalog No.	Description	User Price
ZOOM LENS ACCESSORIES		
339-325	† Motor drive for 12/120 Angenieux lens With hand control unit for zoom in/out and zoom speed. Operates from 8 or 16V Arri batteries.	280.00
339-336	† Motor drive for 10/100 Vario Sonnar lens Similar to Cat. No. 339-325	295.00
331-026	† Battery for Angenieux automatic zoom lens, Cat. No. 311-419 Mallory type TR-132-two required per lens.	1.50
LENS CRADLES		
339-056	Lens cradle for Kilfitt 300mm Pan Tele/Dual Pan Tele Kilars Complete with camera platform for Arri 16S/16M	236.00
339-065	Lens cradle for Kilfitt 500mm Sport Reflector Complete with camera platform for Arri 16S/16M	310.00
339-050	Lens cradle for Kilfitt 600mm Sport Fern Kilar Requires camera platform for Arri 16 or Arri 35 below	294.00
339-067	Lens cradle for Angenieux Model 250 zoom lens Complete with camera platform for Arri 16S/16M	280.00
339-062	Lens cradle for Angenieux Model 95 zoom lens Complete with camera platform for Arri 16S/16M	280.00
339-061	Lens cradle for Angenieux Model 240 zoom lens Complete with camera platform for Arri 16S/16M	280.00
339-069	Lens Cradle For 80/240 Tele Variogon Complete with camera platform for Arri 16S/16M	296.00
339-052	Camera platform for Arri 16S/16M	62.00
339-051	Camera platform for Arri 35	77.00

NOTE: For Arriflex owners using both Arriflex-16 and Arriflex-35 cameras, or for other special requirements, write for Arriflex Lens Cradle Data Sheet.

MATTE BOXES AND ACCESSORIES

339-000	Standard Matte Box for Arriflex 16S/16SGS/16M Cameras Adjustable, with one Rotary and one Stationary Filter Stage-uses rectangular Arri filters.	180.00
333-501	Filter Holder to fit (339-000) Standard Matte Box. Holds both 2 x 2" glass or gelatin filters, includes one (333-502) frame for gelatin.	26.00
333-502	Frame only to fit (333-501) Filter Holder For 2 x 2" gelatin filters.	3.85
333-503	Filter Holder Kit. Consists of one filter holder (333-501), five frames (333-502) in fitted leather case.	58.00
333-500	Filter Adapter for (339-000) Standard Matte-Box To use Series B Filters.	6.95
339-002	Universal Matte Box for Arriflex 16S/16SGS/16M Cameras Adjustable, with one stationary and one rotatable filter stage. Accommodates Angenieux Model 120 and Zeiss Vario Sonnar Lenses. Also many Arriflex long and short focal length lenses. Supplied with two Universal filter holders. Uses 3 x 3" (75 x 75mm), 4 x 4", 85 x 100mm graduated filters, special 94mm round polarizer filters.	216.00
333-506	Filter Holder to fit (339-002) Universal Matte Box Accepts 3 x 3", 75 x 100mm and 94mm round filters.	19.50
333-507	Baffle Lightrap for (339-002) Universal Matte Box	8.00
332-031	Case, carrying, for (339-002) Universal Matte Box Hammered aluminum, plush lined and fitted to accommodate Universal Matte Box and filter holders, zoom lens and accessories.	158.00

EFFECTS MATTES

FOR USE WITH STANDARD MATTE BOX NO. 339-000 ONLY

339-020	"Window" 2-1/4" x 2-3/4"	5.50
339-021	"Binocular" Small 1-3/8" x 3-1/4"	5.50
339-022	"Binocular" Large 2-3/4" x 1-3/4"	5.50
339-023	"Keyhole" Small 3/4" x 1-3/8"	5.50
339-024	"Keyhole" Large 1-3/4" x 2-3/4"	5.50

†This Product Made in U.S.A.



Catalog No.	Description	User Price
MOTORS		
339-301	Motor, 8V DC governor controlled, 24fps (Also available for 16fps - please specify on order).	290.00
339-300	Motor, 8V DC variable speed, 5 to 40fps	212.00
339-302	Motor, 110V/42V-60HZ AC, Synchronous 24fps Complete with power supply for 8V DC (also available for 50HZ).	740.00
339-303	Motor only, 110V/42V-60HZ AC. Replacement for Cat No. 339-302	412.00
339-304	Power Supply only. Replacement for Cat No. 339-302	384.00
339-326	Motor, 110V-60HZ AC, Synchronous 24FPS with 8VDC power supply Similar to Catalog No. 339-307 but with built in 8VDC power supply to operate torque motors Catalog No. 339-320 and 339-321. Also supplies power for electric slate system. Constructed with acoustically isolated gear train for low noise.	638.00
BATTERIES		
331-014	†Battery, Nickel-Cadmium, Type 8V4AH with Mini-Charger. Battery: Improved nickel-cadmium, alkaline, 8V, 4AH. Charger: Built-in, special miniaturized type. Complete with case and shoulder strap—footage approx. 1800 ft. per charge. Requires 5 Pin Power Cable	180.00
331-011	†Battery, Nickel-Cadmium, Type 16V4AH with Mini-Charger With selector switch: 8.4V, 8AH for use with Arriflex 16S/16SGS/16M—footage approx. 3600 ft. 16.8V, 4AH for use with Arriflex 35—footage approx. 3600 ft. Requires 2 Pin Power Cable	296.00
POWER SUPPLIES		
339-371	†Regulated D. C. Power Supply For all Arriflex 16 and 35mm cameras for use as direct power source from regular 110/115V 50/60 cycle AC power lines. Four fixed outputs 8, 12, 16, 24 VDC. Also two-range variable output control 0-16V and 6-32V. Regulation $\pm$ 10% at 6 amp. Built-in ampere and voltmeters, and carrying handle.	186.00
SPECIAL GROUND GLASSES		
Special marked ground glasses can be installed in all Arriflex 16M cameras and in Arriflex 16S cameras with Serial No. S8981 and higher. For Arriflex 16S cameras with Serial No. S6101 to S8980, the Finder must be updated by means of Finder Modernization Set (see below).		
All Arriflex 16S/16SGS cameras beginning with Serial No. S/SGS14701 and Arriflex 16M cameras beginning with M807 are supplied with TV Ground Glass installed.		
339-130	Ground Glass with TV cutoff, projection aperture and crosshair (Replacement) . . .	36.00
339-131	Ground Glass with Projector Aperture and Cross Hair	36.00
339-132	Finder Modernization Set (less ground glass) For Arriflex 16S cameras, Serial Nos. S6101 to S8980.	74.00
	Installation labor only of ground glass	32.00
	Arriflex 16S cameras, Serial No. S8981 and higher, Installation labor only of Finder Modernization Set and Ground Glass	80.00
	Arriflex 16S cameras, Serial Nos. S6101 to S8980.	
FINDER ACCESSORIES		
339-100	Periscopic Finder Attachment	420.00
339-110	Foam Rubber Eye Cushion to fit over eyecup	2.00
339-120	†Auxiliary Target Finder for Arriflex 16S Cameras with Divisible Eyepiece For use with cameras, serial Nos. S7501 to S8900.	100.00
339-121	†Auxiliary Target Finder for Arriflex 16S Cameras with Divisible Eyepiece For use with Arriflex 16S/16SGS cameras with serial Nos. S8901 and higher. Also for all Arriflex 16M cameras.	100.00
339-114	Regular Viewfinder Eyepiece, for Arri 16S/16SGS/16M/16BL/35-2C camera (Repl.) .	158.00
339-113	Automatic Closure Eyepiece complete with snap-on rubber eye cup (Optional replacement for all Arriflex Cameras with Divisible eyepiece).	192.00
339-115	Snap-on Rubber Eye-Cup Assembly only With cover door, and machined recess for 15.5mm spectacle lens (replacement).	22.00

†This Product Made in U.S.A.



ACCESSORIES FOR ARRIFLEX 16SB-16SBGS-16MB

Catalog No.	Description	User Price
BARNEYS		
321-500	†DOM Sound Barney for Arriflex 16S/16SGS Cameras with S400 ft. magazine	164.00
321-502	†DOM Sound Barney for Arriflex-16M with M400 ft. magazine	164.00
AUTOMATIC SLATING SYSTEM ACCESSORIES		
339-355	Oscillator/Scene Marker for Arriflex 16M and 16SGS Provides 1 kc start-mark tone; essential for tape recorders in which start-mark oscillator is not built-in. Additionally, with all tape recorders supplements Automatic Clap-stick system to provide Scene Marking capability.	278.00
339-356	Start Mark Lamps, matched set, for Full Frame Marking	10.00
339-357	Start Mark Lamps, matched set, for Edge Marking	10.00
339-464	Cable, 15 ft. - Carries 60HZ control signal from camera to Nagra NPH or Tandberg II-P	24.00
339-461	Cable, 15 ft. - Carries 60 HZ control signal from camera to Nagra IV	24.00
339-462	Cable, 15 ft. - Carries 60 HZ control signal from camera to Uher Recorder	24.00
339-430	3-Pin Tuchel Plug, male, with locking ring	4.50
339-432	4-Pin Tuchel Plug, male, with locking ring	4.50
339-431	5-Pin Tuchel Plug, male, with locking ring	4.50
339-433	6-Pin Tuchel Plug, male, with locking ring	4.50
KINESCOPE RECORDING ACCESSORIES		
339-360	Mechanical Phase Shifting Attachment for Synchronous Motor For suppressed frame kinescope recording applications. The camera must be provided with a special shutter equivalent to 144°—or with a special synchronous motor geared for 30 FPS. Available on special order.	240.00
339-328	Motor, special synchronous 110V/42V 60HZ AC, with power supply Similar to Cat No. 339-302, but modified for use with interchangeable geared heads. Supplied with geared head for 24fps.	770.00
339-363	Geared head, 30FPS for use with motor 339-328 NOTE: Mirror shutter 144° available on special order—requires return of camera for service department installation—write for further information.	108.00
ANIMATION AND TIME LAPSE EQUIPMENT		
339-337	† New Animation/Time Lapse Motor With built-in frame counter and flash synchronization, single/double pulse operation. Outlet for Arri Auxiliary Shutter and programmed 8V DC supply for S400 ft. magazine take-up. Indicator light shows when camera shutter is open. Produces exposure time of 1/8, 1/4, or 1/2 second, selectively.	960.00
339-345	Auxiliary Shutter For use with Single Frame Mechanism or Animation/Time Lapse Motor caps lens automatically. Attaches to matte box requires 8V DC current.	264.00
339-348	Geared hand crank mechanism For manual drive of the Arriflex 16S/16SGS/16M cameras. (Useful for filming inanimate subject in extremely poor light.)	104.00
INTERVALOMETER		
For use with Animation Time Lapse Motor, Cat. No. 339-337. Master control to operate camera, lights, auxiliary shutter at predetermined intervals.		
339-334	† Intervalometer with interval and exposure timers Incorporates solid state exposure and interval timers to provide time exposures from 1 to 11 seconds in combination with single frame motor equipped for double pulse operation—one pulse to open camera shutter, one pulse to close camera shutter. Interval timer provides frame intervals from 3 seconds to 1 1/4 hours.	876.00

†This Product Made in U.S.A.



Catalog No.	Description	User Price
-------------	-------------	------------

MICROSCOPE ACCESSORIES

339-042	Stand Adapter—for mounting Arriflex 16S/16SGS/16M Cameras	120.00
	Used on Leitz Aristophot III and New Panphot Stands (115mm spacing).	
339-043	Microscope Connector—consists of Microscope Light Trap, and Arri Mount	36.50
339-133	Clear Glass with cross-hair (replaces normal Ground Glass)	48.00
	Installation Labor only of Clear Glass	32.00
	Requires return of camera to Service Department for installation.	
339-155	Camera Door complete, for Arriflex 16S/16SGS (less 10x magnifier)	492.00
	Supplied with clear glass with cross-hair, for use in cinemicroscopy only. May be interchanged with regular camera door when grain of regular ground glass would be objectionable. Requires return of camera to our Service Department for installation.	

BODY BRACES AND SHOULDER PODS

341-151	Arri Pistol Grip for Arriflex 16S/16SGS/16M Cameras	50.00
	With trigger for internal release of shutter.	
341-152	Combination Pistol Grip/Shoulder Pod	98.00
	Complete with trigger release mechanism and extra counter disc.	
341-153	Arri Body Brace with Pistol Grip	186.00
341-154	Arri Body Brace with 3/8" camera retaining screw only	159.00
341-155	Pistol Grip with trigger release	41.00
	For use with Arri Body Brace (Cat No. 341-153 or 341-154).	
341-150	Arri Shoulder Pod, adjustable	58.00

TRIPODS FOR ARRIFLEX 16MM CAMERAS

341-100	Tripod, model 16, complete with panhead and handle	266.00
	Hemispherical bowl with ball joint panhead. Working height 15-65 inches.	
341-101	Legs only for model 16 Tripod, "standard"	158.00
	Includes hemispherical bowl. Working height 15-65 inches.	
341-110	Legs only for model 16 Tripod, "Shorty"	148.00
341-102	Panhead only-BALL JOINT, complete with panhandle	129.00
	For use with legs (341-101) or (341-110).	
341-103	Panhead only-GYRO MOVEMENT in Pan and tilt, with panhandle	898.00
	For use with legs (341-101) or (341-110).	

CASES FOR TRIPODS

341-170	Leather Boot & Cap for Arriflex 16 Tripod and Pan-Head	86.00
341-180	†Fibre Carrying Case for Arriflex 16 Tripod and Pan-Head	38.00
341-181	†Fibre Carrying Case for Arriflex 16 "Shorty" and Pan-Head	30.00
341-182	†Fibre Carrying Case for Arriflex 16 Tripod with Gyro head	46.00
341-115	Triangle for all Arri tripods	100.00
	Collapsible and adjustable, with tie-down clamps.	

MISCELLANEOUS ACCESSORIES

339-040	Extension Tube for close-ups, for lenses in Arri mount, length 21mm	30.00
339-030	Front Lens Cap for Schneider lenses (specify lens)	2.00
339-033	Rear Lens Cap to fit over Arri mount	2.00
339-032	Camera Turret Cavity Cap	2.50
332-055	Case, leather for 40mm Mackro Kilar (312-110)	6.00
332-056	Case, leather for 90mm Super Mackro Kilar (311-112)	9.00
332-057	Case, leather for 300mm F5.6 Tele Kilar (312-115)	18.00
341-160	Neck Strap, leather for Arri 16S/B - 16S/B - GS	9.00
341-161	Neck Strap, leather for Arri 16M/B	8.00
312-905	Adapter-Wear (Replacement)	39.00

†This Product Made in U.S.A.



ACCESSORIES FOR ARRIFLEX 16SB-16SBGS-16MB

Catalog No.	Description	User Price
-------------	-------------	------------

SOUND BLIMPS

321-002	Blimp-Universal Fibre Glass for Arri 16S/16SGS/16M	3396.00
	For both 42V 60 cycle AC and 8V DC operation; with cables for 42V synch motor and for 8V DC power supply, connections for 60 cycle signal generator; start-stop switch cable. Complete with follow-focus system and external lens diaphragm control; with built in holder for 3" square filters and roof prism optical finder system; Blimp top for 400 ft. magazines. Requires matte-box, fitted wooden storage case and diaphragm adapter rings listed below. Specify camera model when ordering.	
321-090	Lightweight adjustable Matte-Box for Fibre Glass Blimp	224.00
321-903	Fitted wooden storage and shipping case for Fibre Glass Blimp	69.00
339-460	Cable, for internal Blimp connection from Arriflex-16S/16SGS to electrical terminal	26.00
339-459	Cable, for internal Blimp connection from Arriflex-16M to electrical terminal (replacement)	26.00
321-054	Conversion Kit for Fibre Glass Blimp, to use 17-5/70mm Angenieux Lens	120.00
321-055	Conversion top for Fibre Glass Blimp, to use Arriflex 16M cameras with M1200 ft. magazine	460.00

ITEMS LISTED BELOW MARKED* MAY ALSO BE USED WITH FIBERGLASS BLIMP

321-003	Universal Studio Sound Blimp for Arri 16S/16SGS/16M Cameras	5750.00
	For most critical sound stage requirements, reduces residual noise level to 21db at 3 feet; wired for both 42V 60 cycle and 8V DC operation new advanced camera support mechanism with external controls for follow-focus and lens diaphragm; focusing scale and diaphragm scales, blank; top and side sections hinged for complete access to interior; extra large front port for wide angle lenses to 8mm, with provision for accessory extension port for zoom lenses; built-in roof prism optical finder system provision for 3" square filters. Supplied with camera base-plate and interior cable (Specify Arri 16S/16SGS or 16M), blimp top for S400 ft. magazine, pan handle switch, cables for internal pilotone/start marking connection and 115V AC operation. Requires matte box, diaphragm adapter rings, external battery connection cable and fitted wood storage case. (For external 8V battery connection uses standard Arri 16m power cable cat. No. 339-401 see page 3).	
321-004	Universal Studio Sound Blimp for Arri 16m Cameras	5750.00
	Similar to above, but recommended for use with Arriflex 16m, wired for 115V 60 cycle AC and 8V DC operation. For AC use requires Arri Synchronous motor Cat. No. 339-326.	
321-095	Matte-Box Adjustable for Universal Studio Blimp	520.00
321-905	Fitted wooden shipping and storage case for Universal Blimp	64.00
321-058	* Conversion Kit for using 12/120mm Angenieux lens (standard mount) in Universal Blimp. Modifies blimp to operate focus and zoom from outside.	535.00
321-064	* Conversion Kit, as above, but for Angenieux 12/120 Bayonet Mount Lens	449.00
321-600	Three-Digit Geared Footage Counter for use with synchronous motor in blimp (essential for use with Arriflex 16 Blimp)	280.00
321-061	* Inching attachment, for use with Arriflex-16 Governor Controlled motor and blimp	172.00
321-062	Focusing crank, detachable, for use with Universal Blimp	84.00
321-910	* Adapter ring for diaphragm linkage for Schneider lenses	30.00
	(Specify focal length).	
321-911	* Adapter ring for diaphragm linkage for Zeiss lenses	38.00
	(Specify focal length).	
321-912	* Adapter ring for diaphragm linkage for Taylor-Hobson-Cooke lenses	38.00
	(Specify focal length).	
339-437	Cable, Internal, connects 16S/16SGS to Blimp Electric Terminal (Replacement)	30.00
339-438	Cable, Internal, connects 16M to Blimp Electric Terminal (Replacement)	32.00
321-081	* Base plate for Arriflex-16S/16SGS (Replacement)	146.00
321-080	* Base plate for Arriflex-16M (Replacement)	146.00

UNDERWATER BLIMP

Presently not made by Arri. Names of manufacturers available on request.



ACCESSORIES FOR ARRIFLEX 16SB-16SBGS-16MB

Catalog No. Description User Price

FILTERS AND LENS ACCESSORIES

RECTANGULAR

To fit Standard 16 Matte Box (339-000)

333-000	Medium yellow	20.00
333-001	Red	20.00
333-002	Orange	20.00
333-006	Green	20.00
333-003	Type UV	40.00
333-004	Graduated red to yellow	62.00
333-005	Polarizing	52.00
†333-010	Type Skylight 1-A	28.00
†333-011	Type 85	28.00
333-019	Neutral Density ND.3	40.00
333-020	Neutral Density ND.6	40.00
333-021	Neutral Density ND.9	40.00
333-022	Neutral Density ND1.2	40.00

The following are "Series" Filters

Consult Lens List for Correct Lens/Filter Size

SERIES 8

†333-704	Type 85	10.75
----------	---------	-------

SERIES 9

†333-701	Type 85	13.95
----------	---------	-------

3x3 INCH (75x75mm) SQUARE

333-100	Yellow	20.00
333-101	Red	20.00
333-102	Green	20.00
333-103	Graduated yellow to red	62.00
†333-109	Type 85	18.50
333-104	Neutral Density .3	30.00
333-105	Neutral Density .6	30.00
333-106	Neutral Density .9	30.00
333-107	Neutral Density 1.2	30.00

4x4 INCH SQUARE

†333-120	Type 85	56.00
----------	---------	-------

4 1/2 INCH DIAMETER ROUND

†333-130	Type 85	50.00
†333-131	Polarizing	60.00

94mm DIAMETER ROUND

333-040	Polarizing	88.00
---------	------------	-------

FILTER HOLDERS - KILFITT

333-504	Filter Holder for 150mm Tele Kilar accepts series 7 filters	8.00
333-505	Filter Holder for 300mm F5.6 Tele Kilar accepts series 8 filters	8.00

Catalog No. Description User Price

CLOSE UP LENSES - DIOPTERS

SERIES 8

†311-908	+1/2 diopter	15.75
†311-903	+1 diopter	15.75
†311-904	+2 diopter	15.75

SERIES 9

†311-905	+1/2 diopter	18.50
†311-906	+1 diopter	18.50
†311-907	+2 diopter	18.50

4 1/2 INCH DIAMETER ROUND

†311-930	+1/2 diopter	75.00
†311-931	+1 diopter	75.00
†311-932	+2 diopter	75.00

SUNSHADES ONLY

†333-700	For 12/120mm Angenieux .. use with filter holder (333-078)	13.25
†333-703	Series 9	14.75
333-702	For 5.7 & 9.8mm Tegea (Replacement)	30.00

SUNSHADE/FILTER HOLDERS

333-705	For 12.5/75 Vario Sonnar, .. accepts 3x3 filters	68.00
†333-706	For 25/250mm Angenieux .. accepts Series 4 1/2" dia. filter	80.00
†333-707	For 9.5/95mm Angenieux .. accepts Series 4 1/2" dia. filter	80.00
†333-708	For 12/240mm Angenieux .. accepts Series 4 1/2" dia. filter	80.00

ADAPTER RINGS

†333-065	Adapter 54.5M8 .. accepts Series 8	6.95
†333-067	Adapter 51M8 .. accepts Series 8	6.95
†333-068	Adapter 49M7 .. accepts Series 7	5.50
†333-069	Adapter 62M8 .. accepts Series 8	6.95
†333-073	Adapter 49M8 .. accepts Series 8	6.95
†333-074	Adapter 40.5F6 .. w/black insert ring, Series 6	3.50
333-075	For 9mm Kinetel .. accepts Series 8	52.00
†333-076	Adapter 49.5M7 .. accepts Series 7	5.50
333-078	For 12/120mm Angenieux .. accepts Series 9	24.00
†333-079	For 10/100 Zeiss Vario Sonnar accepts Series 9	14.00
†333-080	Adapter 46.5M7 .. accepts series 7	5.50

† This Product Made In U.S.A.

All prices and specifications contained in this Price List are subject to change without notice.

"ARRI" and "ARRIFLEX" are trade marks registered with the U.S. Patent Office and recorded with U.S. Customs at all ports of entry to prevent unauthorized importation.

SOLE U.S. DISTRIBUTOR

ARRIFLEX
COMPANY OF AMERICA

25-20 Brooklyn - Queens Expressway West Woodside, N.Y. 11377 (212) 932-3403
WEST COAST: 1011 Chestnut Street Burbank, California 91502 (213) 845-7687